

MILLTEK

SYSTEM NO.	SSXBM1294
DESCRIPTION	Cat-back
NOTES	Requires Stage 2 ECU remap


PARTS REQUIRED

PART NO.	DESCRIPTION	QUANTITY	IN PACKAGE
F5173	Adapter to Milltek Axle Back	2	
CHC79SS	79mm Band Clamp - 304 S/S	2	
F7107	Chassis Brace	1	
MSBM357	Rear Silencer	1	
CHC60SS	60mm Band Clamp - 304 S/Steel	2	
CHC79SS	79mm Band Clamp - 304 S/S	2	
MSBM358	LH OPF/GPF Bypass	1	
MSBM359	RH OPF/GPF Bypass	1	
MSBM422	LH Valved Outlet Pipe	1	
6MMSPRING	6mm S/Steel Spring Washer	3	
CHC79SS	79mm Band Clamp - 304 S/S	1	
F7105	Bmw M2 G87Loose Bracket	1	
M6NYLOC	M6 Nyloc Nutbzp	3	
M6X16BUTT	M6 X 16mm Socket Button Head	3	
MSBM423	RH Valved Outlet Pipe	1	
6MMSPRING	6mm S/Steel Spring Washer	3	
CHC79SS	79mm Band Clamp - 304 S/S	1	
F7106	Bmw M2 G87Loose Bracket	1	
M6NYLOC	M6 Nyloc Nutbzp	3	
M6X16BUTT	M6 X 16mm Socket Button Head	3	
MSBM425	LH Centre Silencer Bypass	1	
CHC79SS	79mm Band Clamp - 304 S/S	1	
MSBM426	RH Centre Silencer Bypass	1	
CHC79SS	79mm Band Clamp - 304 S/S	1	
MSTIP253	Burnt Titanium 4.5" Trims	4	
CHC66.5SS	66.5mm Band Clamp-304 S/Steel	4	

MILLTEK

TECHNICAL INFORMATION

NOTES	OE Exhaust Requires Cutting. Cut at the middle indent of the 3 marks on the OE pipework and deburr afterward. Some later cars only have one OE cut mark.
-------	---



NOTES	F7105 and F7106 are replacement hangers for the OE hangers. Please fit in the same orientation as OE ones
-------	--



MILLTEK