



WAGNER TUNING

- Einbauanleitung / *Installation Instruction* -

Ladeluftkühler / *Intercooler*

Volkswagen T5 2,0 TDI/TSI



Kit-Nr.: 200001067



TÜV Zertifiziert
- Rahmenrichtlinie 70136/EWG, Anhang X, Nr. 2
- Anforderungen der ECE-Regelungen
- StVO § 19 (3) in Verbindung mit Anlage
XIX (nationales Recht) als Voraussetzung zur
Erlangung von Teilgutachten

WAGNERTUNING Intercooler**Wichtige Hinweise!**

Diese Montageanleitung ist unbedingt vor Beginn der Einbauarbeiten zu lesen. Die Firma Wagner Tuning übernimmt keine Haftung für Schäden, welche durch unsachgemäßen Einbau entstehen!

Als Hersteller sind wir verpflichtet darauf hinzuweisen, dass jegliche Veränderungen, welche Sie am für den öffentlichen Verkehr zugelassenen Fahrzeug vornehmen, der Abnahme durch einen technischen Dienst und Eintragung in die Fahrzeugpapiere bedarf.

Einbauzeit (1 AW = 5 Minuten)

Die Einbauzeit beträgt ca. **24 AW**, die je nach Zustand und Ausstattung des Fahrzeugs abweichen kann.

Benötigte Werkzeuge

- Diverse Steckschlüssel
- Diverse Schraubendreher

Important Notes!

These Installation Instruction have to be read careful before beginning installation work. The company Wagner Tuning bears no liability for damage caused by incorrect installation!

As manufacturer, we are obliged to point out that any changes you make to a vehicle licensed for use on public roads require approval by a test centre and registration in the vehicle documents.

Installation Time (1 unit = 5 minutes)

*The installation time is around **24 units**, which may vary depending on vehicle condition and equipment level.*

Tools Required

- various spanners*
- various screwdrivers*

WAGNERTUNING Intercooler

Stückliste (Part list):

- 1 Ladeluftkühler schwarz / *intercooler black*



Dear Customers,
the Company of Wagner Tuning has been synonymous with high performance components in the tuning market. To ensure this continues there is now design protection on our products by the German Patent and Trademark Office.

This is a precautionary measure to protect consumers against inferior copies. When purchasing our products you should always check that our logo is visible on the product, which is also subject to trademark law.



Carsten Wagner, CEO WAGNERTUNING

▶ EXHAUST MANIFOLD

▶ DOWNPIPE

▶ INTERCOOLER KIT

▶ INLET MANIFOLD



WAGNERTUNING Ladeluftkühler

1. Demontage / *demounting*

Die Demontage des Ladeluftkühler erfolgt entsprechend der Richtlinien des Automobilherstellers.

The dismantling of the charge air cooler made according to the guidelines of the automobile manufacturer.

Frontgrill demontieren.

Dismount front grill.

Unterboden demontieren.


Dismount the underfloor protection.

Radhausschale demontieren.

Remove the wheel housing on both sides.

Lösen Sie die seitlichen Verschraubung hinter dem Radhaus.

Loosen the lateral screws behind the wheel housing.



WAGNERTUNING Intercooler

Die vorderen und unteren Verschraubungen des Stossfängers lösen.


Loosen the front and lower screws of the bumper.

Stossfänger vorsichtig nach vorn abziehen. Eventuelle Steckverbindungen ebenfalls abziehen.

Carefully pull the bumper forwards. Also disconnect any connectors.

Lösen Sie die Schlauchschellen und demontieren Sie den originalen Ladeluftkühler.

Loosen the hose clamps and remove the original intercooler.



WAGNERTUNING Intercooler**3. Montage / *Installation***

Den WAGNERTUNING Ladeluftkühler an den originalen Befestigungspunkten von oben einsetzen und am Fahrzeug befestigen. Dabei kann es auf Grund von Fertigungstoleranzen dazu kommen, dass die unteren Haltepunkte leicht modifiziert werden müssen. Danach die originalen Silikonschläuche aufschieben und die Schlauchschellen wieder fest anziehen.

Insert the WAGNER TUNING intercooler to the original mounting points and attach it to the vehicle. It may come as a result of manufacturing tolerances, that the bottom mounting points are need to be modified. Push on the original silicone hoses and tighten hose clamps securely.

Bitte alles nochmals auf festen Sitz prüfen.

Please check everything once again for tight fit.

Montage des Stossfängers, Radhausschale, Unterboden und Frontgrill.

Install the front bumper, wheel housing, underbody protection and front grill.

